

#### **MOUNTING SUGGESTIONS:**

## Harley-Davidson® Softail Deuce 2000-2007


Sissy Bar Pad with Built-in Extension

Hardware:  $\frac{5}{16}$ "-18 x 34" bolt

 $\frac{5}{16}$ "-18 x 1" bolt

Acorn nut Washers

Tools needed: SAE wrenches








#### **Installation of Pad:**

The sissy bar pad mounts directly to the stock bar. Use the  ${}^5/_{16}$ "-18 x  ${}^3/_{10}$ " bolt to secure the top mount and the  ${}^5/_{16}$ "-18 x 1" bolt on the bottom.



The lower bolt can be installed with the acorn nut on the front or the back as desired.



The Harley-Davidson® Chrome Luggage Rack 53806-oo comes with two 3/8"- $16 \times 1\frac{1}{4}"$  bolts and lock nuts, and will mount with the Mustang sissy bar pad. The top bolt provided with the pad is used. To install with the luggage rack, the material must be punched for the second bolt.



### Enjoy the comfort and custom look of your new Mustang pad!



These steps are guidelines to help you install your new Mustang product. If you need further assistance, please call us at 800-243-1392 or 413-668-1100, Monday through Friday 9:00 - 5:30 Eastern or send an e-mail to questions@mustangseats.com or visit our website at www.mustangseats.com.

For care and maintenance of our seats, please go to our website under "Support".

Refers to part number: 79082

# You are cordially invited to Tour the Mustang Factory

See how our craftspeople take pride in transforming raw materials into the world's highest quality, most comfortable handcrafted seats. Please contact Mustang for more information regarding tours of our historic Three Rivers, Massachusetts, facility (only 75 miles west of Boston; 150 miles northeast of New York City). Our two hour tours are by reservation only; we can accommodate groups from 2 to 24. We promise you will ride away with an entirely new awareness of what you put between you and your bike.